

AMENDMENTS TO THE CLAIMS

Sub
FI
E1
1. (Previously Presented) The electric power steering apparatus of claim 7, wherein

the biasing member biases said worm shaft deflectable toward said worm wheel, in a deflective direction of said worm shaft.

2. (Original) The electric power steering apparatus of claim 1, wherein

said worm shaft is deflectable in a side of said worm shaft, interlocked with an output shaft of said electric motor and an interlocking member interlocking said worm shaft and said output shaft is provided therebetween.

3. (Original) The electric power steering apparatus of claim 1, wherein

said worm shaft is supported in a gear housing having a tapped hole, and said biasing member includes a screw body tightly fastened in said tapped hole and a spring body interposed between said screw body and said worm shaft.

4. (Original) The electric power steering apparatus of claim 1, wherein

Sub
Feb
Cat

said worm shaft is supported in a gear housing having a tapped hole, and said biasing member includes a screw body which is tightly fastened in said tapped hole and which is in contact with said worm shaft or a bearing fitted to said worm shaft.

El
Wm

5. (Withdrawn) An electric power steering apparatus, comprising:

an electric motor for steering assistance;

a worm shaft on which a worm is disposed;

a steering shaft on which a worm wheel is disposed and to which a rotary motion of said electric motor is transmitted through said worm shaft; and

a biasing member biasing said worm wheel deflectable toward said worm shaft, in a deflective direction of said worm wheel.

6. (Withdrawn) The electric power steering apparatus of claim 5, wherein

said worm wheel is fitted to said steering shaft, and said biasing member includes an elastic ring fitted to a fit portion of said worm wheel to said steering shaft.

7. (Previously Presented) An electric power steering apparatus, comprising:

Sub
E1
Cont

an electric motor for steering assistance;
a worm shaft on which a worm is disposed;
a steering shaft on which a worm wheel is disposed and to
which a rotary motion of said electric motor is transmitted through
said worm shaft;

a biasing member biasing, via a bearing, said worm shaft
toward said worm wheel;

a concave member accepting said bearing; and

a housing for housing said bearing and said concave member.

8. (Cancelled).

9. (Previously Presented) An electric power steering
apparatus, comprising:

an electric motor for steering assistance;

a worm shaft on which a worm is disposed;

a steering shaft on which a worm wheel is disposed and to
which a rotary motion of said electric motor is transmitted through
said worm shaft;

a biasing member biasing, via a bearing, said worm shaft
toward said worm wheel, wherein a housing that directly holds the
bearing is the same housing that holds the biasing member; and

a concave member accepting the bearing.

4

sub
R1
cut
EI
wrt

10. (New) The electric power steering apparatus of claim 7,
wherein the bearing may be deflected into the concave member.

11. (New) The electric power steering apparatus of claim 7,
wherein the steering wheel is directly connected to the steering
shaft.